XI'AN FUNCTION MATERIAL GROUP CO., LTD



Safety Data Sheet Barium Strontium Titanium Oxide

1. Product and Company Identification

Trade Name: Barium strontium titanium oxide Ba_xSr_{1-x}TiO₃,

Chemical Formula: BaSrTiO₃

Recommended Use: Scientific research and development

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., LTD

Street: No. 69, Gazelle Valley, High-Tech Zone

City: XIAN
State: CHINA
Zip Code: 710077
Country: CHINA

Tel #: +86-29-88993870/+86-13519132051

2. Hazards Identification

Signal Word: Warning



Hazard Statements: H302+H332: Harmful if swallowed or if inhaled

Precautionary Statements: P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash thoroughly after handling

P270: Do not eat, drink or smoke when using this product

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest

in a position comfortable for breathing

P330: Rinse mouth

P501: Dispose of contents/container in accordance with local/regional/national/international regulations

HMIS Health Ratings (0-4):

Health: 2 Flammability: 0 Physical: 1

3. Composition

Chemical Family: Ceramic Additional Names: None

Barium strontium titanium oxide (Ba_xSr_yTiO₃):

Percentage: 100% CAS #: NIL EC #: NIL

4. First Aid Procedures

General Treatment: Seek medical attention if symptoms persist.

Special Treatment: None **Important Symptoms:** None

Inhalation: Remove victim to fresh air. Supply oxygen if breathing is difficult.

Ingestion: Seek Medical Attention.

Wash affected area with mild soap and water. Remove any Skin:

contaminated clothing.

Flush eyes with water, blinking often for several minutes. Remove Eyes:

contact lenses if present and easy to do. Continue rinsing

5. Firefighting Measures

Flammability: Non-flammable, except as powder

No special restrictions – use suitable extinguishing agent for **Extinguishing Media:**

surrounding material and type of fire.

Use full-face, self-contained breathing apparatus with full protective Spec. Fire Fighting Procedure:

clothing to prevent contact with skin and eyes. See section 10 for

decomposition products.

6. Accidental Release Measures

Wear appropriate respiratory and protective equipment specified in If Material Is Released/Spilled:

> special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal.

Take care not to raise dust.

Isolate runoff to prevent environmental pollution. **Environmental Precautions:**

7. Handling and Storage

Handling Conditions:

Storage Conditions:

Wash thoroughly after handling.

Store in a cool dry place in a tightly sealed container. Store apart from

materials and conditions listed in section 10.

Work/Hygienic Maintenance: Do not use tobacco or food in work area. Wash thoroughly before

eating and smoking. Do not blow dust off clothing or skin with

compressed air.

Ventilation: Provide sufficient ventilation to maintain concentration at or below

threshold limit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits: 0.5 mg/m³ as Ba, long-term value

Threshold Limit Value: 0.5 mg/m³ as Ba, long-term value

Special Equipment: None

Respiratory Protection: Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a

> backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government

standards.

Protective Gloves: Nitrile rubber, NBR 0.11mm thick.

Penetration time of glove material:

480 minutes

Eye Protection: Safety glasses or goggles

Body Protection: Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9. Physical and Chemical Characteristics		
Color	White	
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts	
Odor:	Odorless	
Water Solubility:	Insoluble	
Boiling Point:	N/A	
Melting Point:	N/A	
Flash Point:	N/A	
Autoignition Temperature:	N/A	
Density:	N/A	
	N/A N/A	
Molecular weight:	IVA	
	10. Reactivity	
Stability:	Stable under recommended storage conditions	
Reacts With:	Oxidizing agents	
Incompatible Conditions:	None	
Hazardous Decomposition Products:	Metal oxide fume	
	11. Toxicological Information	
Potential Health Effects:		
Eyes:	May cause irritation	
Skin:	May cause irritation	
Ingestion:	Harmful	
Inhalation:	Harmful	
Chronic:	N/A	
Signs & Symptoms:	N/A	
Aggravated Medical Conditions:	N/A	
Median Lethal Dose:	N/A	
Carcinogen:	N/A	
curemogen.		
	12. Ecological Information	
Aquatic Toxicity:	Low	
Persistent Bioaccumulation Toxicity:	No	
Very Persistent, Very Bioaccumulative:	No	
Notes:	N/A	
	13. Disposal Considerations	
Dispose of in accordance with local, state	, national, and international regulations.	
	14. Transportation Data	
Hazardous:	Not hazardous for transportation.	
Hazard Class:	N/A	
Packing Group:	N/A	
UN Number:	N/A	
OTT TUINOUT.	17/11	

N/A

Proper Shipping Name:

	15. Regulatory Information	
Sec 302 Extremely Hazardous:	No	
Sec 304 Reportable Quantities:	N/A	
Sec 313 Toxic Chemicals:	Yes: Barium titanium oxide	
	16. Other Information	

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 07/08/2019

