

XI'AN FUNCTION MATERIAL GROUP CO., LTD

Material Safety Data Sheet

Cobalt Silicon Boron

1. Product and Company Identification

Trade Name: Cobalt silicon boron

Chemical Formula: CoSiB

Recommended Use: Scientific research and development

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., LTD

Street: No. 69, Gazelle Valley, High-Tech Zone

City: XI'AN State: Shannxi Zip Code: 710077 Country: China

+86-29-88993870/+86-13519132051 Tel#:

2. Hazards Identification

Signal Word: Danger







Hazard Statements:

H228: Flammable solid

H334: May cause allergy or asthma symptoms or breathing difficulties

H317: May cause an allergic skin reaction H302+H332: Harmful if swallowed or if inhaled

Precautionary Statements:

P261 Avoid breathing dust/fume/vapor

P210: Keep away from heat/sparks/open flames/hot surfaces – No

smoking.

P280+P284: Wear protective gloves/protective clothing/eye

protection/face protection and respiratory protection

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest

in a position comfortable for breathing

P342+P311: If experiencing respiratory symptoms: Call a POISON

CENTER or doctor/physician

P363: Wash contaminated clothing before reuse

P264: Wash thoroughly after handling

P270: Do not eat, drink or smoke when using this product P301+P312: IF SWALLOWED: Call a POISON CENTER or

doctor/physician if you feel unwell

P370+P378: In case of fire: Use CO₂, sand, extinguishing powder for

extinction

HMIS Health Ratings (0-4):

Powder Bulk Health: Flammability: 2 0 Physical: 1 0

3. Composition	
Chemical Family:	Alloy
Additional Names:	None
Cobalt (Co):	
Percentage:	0-100 wt%
CAS #:	7440-48-4
EC #:	231-158-0
Silicon (Si):	
Percentage:	0-100 wt%
CAS #:	7440-21-3
EC #:	231-130-8
Boron (B):	0.10040/
Percentage: CAS #:	0-100 wt% 7440-42-8
EC #:	231-151-2
	4. First Aid Procedures
General Treatment:	Seek medical attention if symptoms persist. None
Special Treatment: Important Symptoms:	None
important Symptoms.	None
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.
Ingestion:	Seek medical attention
Skin:	Wash affected area with mild soap and water. Remove any
	contaminated clothing.
Eyes:	Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing
	5. Firefighting Measures
Flammability:	Flammable as powder only
Extinguishing Media:	Do not use water for metal fires – use CO ₂ , sand, extinguishing powder
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective
Spec. The Fighting Frocedure.	clothing to prevent contact with skin and eyes. See section 10 for decomposition products.
	6. Accidental Release Measures
If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.
Environmental Precautions:	Isolate runoff to prevent environmental pollution.
	7. Handling and Storage
Handling Conditions:	Wash thoroughly after handling.
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store apart from
Work/Hygienic Maintenance:	materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.
Ventilation:	Provide sufficient ventilation to maintain concentration at or below threshold limit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits: 0.1 mg/m³ as Co, Metal dust and fume, long-term value

Threshold Limit Value: 0.02 mg/m³ as Co, long-term value

Special Equipment: None

Respiratory Protection: Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a

backup to engineering controls. Risk assessment should be performed

to determine if purifying respirators are appropriate. Only use equipment tested and approved under appropriate government

standards.

Protective Gloves: Butyl rubber, BR

Eye Protection: Safety glasses or goggles

Body Protection: Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9. Physical and Chemical Characteristics

Color Metallic Grey
Form: Sputtering target

Odor: N/A
Water Solubility: Insoluble
Boiling Point: N/A

Melting Point: 422-2075 °C

Flash Point: N/A
Autoignition Temperature: N/A
Density: N/A
Molecular weight: N/A

10. Reactivity

Stability: Stable under recommended storage conditions

Reacts With: Halogens, Oxidizing agents, Interhalogens, Acids, Ammonia,

Incompatible Conditions: Protect against electrostatic charges
Hazardous Decomposition Products: Metal oxide fume, Boron oxide

11. Toxicological Information Potential Health Effects: Eves: Causes irritating effect Skin: May cause irritation Ingestion: May cause irritation Inhalation: May cause irritation Chronic: N/A Signs & Symptoms: N/A **Aggravated Medical Conditions:** N/A Median Lethal Dose: 650 mg/kg for rat by mouth Carcinogen: IARC-2B: Possibly carcinogenic to humans: limited evidence in human in the absence of sufficient evidence in experimental animals. ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose, by routes of administration, at sites, of histologic types, or by mechanisms not considered relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or level of exposure. EPA-I: Data are inadequate for an assessment of human carcinogenic potential. 12. Ecological Information Aquatic Toxicity: Persistent Bioaccumulation Toxicity: No Very Persistent, Very Bioaccumulative: No Notes: N/A 13. Disposal Considerations Dispose of in accordance with local, state, national, and international regulations. 14. Transportation Data Hazardous: Hazardous as powder only. Hazard Class: 4.1 Flammable solids, self-reactive substances and solid desensitized explosives Packing Group: Ш UN Number: Proper Shipping Name: Metal powders, flammable, n.o.s. (Cobalt silicon boron) 15. Regulatory Information

No

N/A

Yes

Sec 302 Extremely Hazardous:

Sec 304 Reportable Quantities:

Sec 313 Toxic Chemicals:

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 08/11/2015